STEELMASTER FULL HYDRAULIC NC2 PANBRAKES

Full Hydraulic Panbrake Folders With NC Programmable Controller Option



SPECIFICATIONS

Australian Engineers.

- up to 4000 mm folding length available
- capacity 2.0 mm 6.0 mm available.

Produced exclusively for Asset by


- high bending angle of 0-135°
- greatest depth of box bent 185 mm
- powerful motor
- 150 mm 5'lift of clamping beam
- hydraulically operated bending and clamping beam for efficient heavy duty operation
- bending fingers made from hardened material maximizing life

NC2 PROGRAMMABLE CONTROLLER

- · combining the folding features of our NC1 controller with the intergration of a ball screw programmable back gauge
- the NC2 model also offers a unique 2 Axis rear roller ball table. as pictured below.



control cabinet



TECHNICAL DATA	(model)	SM-FHPB2504	SM-FHPB3204	SM-FHPB4004	SM-FHPB2506
sku	(#)	18-0124-E	18-0125-E	18-0126-E	18-0127-E
folding length	(mm)	2500	3200	4000	2500
max. thickness	(mm)	4	4	4	5
max. bending angle	(deg)	130°	130°	130°	130°
largest box depth:	(mm)	160	160	160	160
max lift of top beam	(mm)	200	200	200	200
motor	(kw)	4	4	5.5	5.5
weight	(kg)	3300	3800	4950	4500
dimensions	(mm)	3050 x 1550 x 1550	3800 x 1550 x 1550	4400 x 1550 x 1550	3050 x 1550 x 1600
PRICE	(AUD)	\$	\$	\$	\$

3 ph /415 volt machinery do not come fitted with plugs as standard. GST is NOT included in the listed prices

